

# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA100) Micron Test Report

AlpaSuri GbR/Barbara Bruns & Wolfgang Stamp  
Elbuferstr. 12  
21423 Winsen/Luhe Germany

07/29/19

Test No: 977092


### Animal and Sample Description

**Animal Name:** Waylla  
**Breed:** Alpaca(Huacaya)  
**Sex:** Female  
**Color:** White

**Animal ID:** 0006360BEF  
**Sample Location:** Mid Side  
**Sample Date:** 04/28/19  
**Age:** 01/15/14

### Laboratory Data

<b>Mean Fiber Diameter:</b>	22.5 microns	<b>Spin Fineness:</b>	21.1 microns
<b>Standard Deviation:</b>	3.7 microns	<b>Mean Curvature (deg/mm):</b>	47.7
<b>Coefficient of Variation:</b>	16.6 %	<b>SD Curvature (deg/mm):</b>	26.3
<b>Fibers Greater Than 30 microns:</b>	2.5 %	<b>Comfort Factor:</b>	97.5 %
<b>Medullated Fibers:</b>	10.2 %		



This Test Performed According to I.W.T.O Method 47